


Performance Curve - BL(T)200




Performance Table

Model	Power		Q (m³/h)	100	120	140	160	180	200	220	240	Head Range (m)
	kW	HP										
BL(T)200-1-B	18.5	25.0	H(m)	25.5	25	24	23	21.5	20	18	15.5	15.5~25.5
BL(T)200-1-A	22	30		29	28.5	27.5	26.5	25.5	24	22	20	20~29
BL(T)200-1	30	40		38.5	38	37.5	36.5	35	34	32.5	30	30~38.5
BL(T)200-2-2B	37	50		53	51	49	47	44	41	37	32	32~53
BL(T)200-2-2A	45	60		59.5	58	56	54	52.5	49	44.5	40.5	40.5~59.5
BL(T)200-2-A	55	75		69	68	66	64	62	59	55.5	51	51~69
BL(T)200-2	55	75		78.5	77.5	76	74	71.5	69	66	61.5	61.5~78.5
BL(T)200-3-2B	75	100		91.5	89	86.5	83.5	79	75	70	63	63~91.5
BL(T)200-3-A-B	75	100		95	93	90	87	83.5	79	73.5	67	67~95
BL(T)200-3-2A	75	100		99.5	97.5	94.5	91.5	89	84	78.5	72	72~99.5
BL(T)200-3-B	75	100		104.5	102.5	100	97	93	89	84.5	77.5	77.5~104.5
BL(T)200-3-A	75	100		108	106	103.5	100.5	97.5	93	88	81.5	81.5~108
BL(T)200-3	90	120		117.5	116	113.5	110.5	107	103	99	92	92~117.5
BL(T)200-4-2B	90	120		131.5	129	125.5	121	115.5	110	103.5	94	94~131.5
BL(T)200-4-2A	110	150		138.5	136	132	128	124	118	111	102.5	102.5~138.5
BL(T)200-4-A	110	150		148	145.5	142.5	138	134	128	122	113	113~148
BL(T)200-4	110	150		157.5	155.5	152.5	148	143.5	138	132.5	123.5	123.5~157.5

A and B represent different types of small impellers. The outer diameter of A type impeller is larger than that of B type impeller.

Dimensions



Model	Dim.(mm)						N.W.(kg)
	B1	B2	B1+B2	D1	D2	D3	
BL(T)200-1-B	907	550	1457	330	255	350	311
BL(T)200-1-A	907	575	1482	360	285	350	347
BL(T)200-1	907	650	1557	400	310	400	403
BL(T)200-2-2B	1101	650	1751	400	310	400	447
BL(T)200-2-2A	1101	685	1786	460	340	450	504
BL(T)200-2-A	1131	760	1891	540	370	550	595
BL(T)200-2	1131	760	1891	540	370	550	595
BL(T)200-3-2B	1325	845	2170	580	410	550	748
BL(T)200-3-A-B	1325	845	2170	580	410	550	748
BL(T)200-3-2A	1325	845	2170	580	410	550	748
BL(T)200-3-B	1325	845	2170	580	410	550	748
BL(T)200-3-A	1325	845	2170	580	410	550	748
BL(T)200-3	1325	895	2220	580	410	550	817
BL(T)200-4-2B	1519	895	2414	580	410	550	830
BL(T)200-4-2A	1519	1140	2659	645	550	660	1180
BL(T)200-4-A	1519	1140	2659	645	550	660	1180
BL(T)200-4	1519	1140	2659	645	550	660	1180